

Il1: Berton AM, Gatti F, Penner F, Varaldo E, Prencipe N, Rumbolo F, Settanni F, Gasco V, Ghigo E, Zenga F, Grottoli S. Early copeptin determination allows prompt diagnosis of post-neurosurgical central diabetes insipidus. *Neuroendocrinology*. 2019 Sep 5. doi: 10.1159/000503145. [Epub ahead of print] PubMed PMID: 31484187.

2: Zavattaro M, Prencipe N, Berton AM, Motta G & Benso AS. Iponatremia da esercizio fisico: valutazione, prevenzione e trattamento. *L'Endocrinologo*. Aug 2019, Vol 20, 4:233-235

3: Berton AM, Prencipe N. Idiopathic Urethral Stricture and Nephrogenic Diabetes Insipidus: The Odd Couple. *Cureus*. 2019 Jul 4;11(7):e5076. doi: 10.7759/cureus.5076. PubMed PMID: 31516786; PubMed Central PMCID: PMC6721899.

4: Sbardella E, Isidori AM, Arnaldi G, Arosio M, Barone C, Benso A, Berardi R, Capasso G, Caprio M, Ceccato F, Corona G, Della Casa S, De Nicola L, Faustini-Fustini M, Fiaccadori E, Gesualdo L, Gori S, Lania A, Mantovani G, Menè P, Parenti G, Pinto C, Pivonello R, Razzore P, Regolisti G, Scaroni C, Trepiccione F, Lenzi A, Peri A; the Fluid and Electrolyte Disorders Club of the Italian Society of Endocrinology; Italian Society of Nephrology; and Italian Association of Medical Oncology. Approach to hyponatremia according to the clinical setting: Consensus statement from the Italian Society of Endocrinology (SIE), Italian Society of Nephrology (SIN), and Italian Association of Medical Oncology (AIOM). *J Endocrinol Invest*. 2018 Jan;41(1):3-19. doi: 10.1007/s40618-017-0776-x. Epub 2017 Nov 20. PubMed PMID: 29152673.

Il