

33 documenti

Search details

(Gruden G[Author] OR Gruden G[Investigator]) OR (barutta F[Author] AND (Gruden G[Author] OR Gruden G[Investigator]) AND barutta F[Author]) AND ("2016/01/01"[PDAT] : "2019/08/19"[PDAT]) AND ("2016/01/01"[PDAT] : "2019/12/31"[PDAT])

1: Carlotta F, Raffaella R, Ilaria A, Alessandro N, Mannuccio MP; REPOSI Collaborators. Prevalence of use and appropriateness of antidepressants prescription in acutely hospitalized elderly patients. *Eur J Intern Med.* 2019 Aug 9. pii: S0953-6205(19)30258-4. doi: 10.1016/j.ejim.2019.07.025. [Epub ahead of print] PubMed PMID: 31405773.

2: NCD Risk Factor Collaboration . National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. *Int J Epidemiol.* 2019 Jul 18. pii: dyz099. doi: 10.1093/ije/dyz099. [Epub ahead of print] PubMed PMID: 31321439.

3: Durazzo M, Lupi G, Scandella M, Ferro A, Gruden G. Autoimmune hepatitis treatment in the elderly: A systematic review. *World J Gastroenterol.* 2019 Jun 14;25(22):2809-2818. doi: 10.3748/wjg.v25.i22.2809. PubMed PMID: 31236003; PubMed Central PMCID: PMC6580347.

4: Bernardi S, Gargiulo G, Gruden G, Ponzalino V, Bortolani S, Mongini TE, Papa C, Rolla G, Cavallo Perin P. A man with fever and bilateral limb weakness. *Intern Emerg Med.* 2019 May 29. doi: 10.1007/s11739-019-02112-5. [Epub ahead of print] PubMed PMID: 31144262.

5: NCD Risk Factor Collaboration (NCD-RisC). Rising rural body-mass index is the main driver of the global obesity epidemic in adults. *Nature.* 2019 May;569(7755):260-264. doi: 10.1038/s41586-019-1171-x. Epub 2019 May

8. PubMed
PMID: 31068725.

6: Solini A, Penno G, Orsi E, Bonora E, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Lamacchia O, Baroni MG, Nicolucci A, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Is resistant hypertension an independent predictor of all-cause mortality in individuals with type 2 diabetes? A prospective cohort study. *BMC Med.* 2019 Apr 25;17(1):83. doi: 10.1186/s12916-019-1313-x. PubMed PMID: 31023377; PubMed Central PMCID: PMC6482506.

7: Barutta F, Bernardi S, Gargiulo G, Durazzo M, Gruden G. SGLT2 inhibition to address the unmet needs in diabetic nephropathy. *Diabetes Metab Res Rev.* 2019 Apr 18:e3171. doi: 10.1002/dmrr.3171. [Epub ahead of print] Review. PubMed PMID: 30997935.

8: Proietti M, Agosti P, Lonati C, Corrao S, Perticone F, Mannucci PM, Nobili A, Harari S; REPOSI Investigators. Hospital Care of Older Patients With COPD: Adherence to International Guidelines for Use of Inhaled Bronchodilators and Corticosteroids. *J Am Med Dir Assoc.* 2019 Mar 6. pii: S1525-8610(19)30159-8. doi: 10.1016/j.jamda.2019.01.132. [Epub ahead of print] PubMed PMID: 30852169.

9: Barutta F, Bellini S, Mastrocola R, Gambino R, Piscitelli F, di Marzo V, Corbetta B, Vemuri VK, Makriyannis A, Annaratone L, Bruno G, Gruden G. Reversal of albuminuria by combined AM6545 and perindopril therapy in experimental diabetic nephropathy. *Br J Pharmacol.* 2018 Dec;175(23):4371-4385. doi: 10.1111/bph.14495. Epub 2018 Nov 6. PubMed PMID: 30184259; PubMed Central PMCID: PMC6240130.

10: Porta M, Amione C, Barutta F, Fornengo P, Merlo S, Gruden G, Albano L,

Ciccarelli M, Ungaro P, Durazzo M, Beguinot F, Berchiolla P, Cavallo F, Trento M.

The co-activator-associated arginine methyltransferase 1 (CARM1) gene is overexpressed in type 2 diabetes. *Endocrine*. 2019 Feb;63(2):284–292. doi: 10.1007/s12020-018-1740-z. Epub 2018 Sep 1. PubMed PMID: 30173329.

11: Mannucci PM, Nobili A, Pasina L; REPOSI Collaborators (REPOSI is the acronym of REgistro POLiterapie SIMI, Societ  Italiana di Medicina Interna). Polypharmacy in older people: lessons from 10 years of experience with the REPOSI register. *Intern Emerg Med*. 2018 Dec;13(8):1191–1200. doi: 10.1007/s11739-018-1941-8. Epub 2018 Aug 31. Review. PubMed PMID: 30171585.

12: Barutta F, Bellini S, Mastrocola R, Bruno G, Gruden G. MicroRNA and Microvascular Complications of Diabetes. *Int J Endocrinol*. 2018 Mar 7;2018:6890501. doi: 10.1155/2018/6890501. eCollection 2018. Review. PubMed PMID: 29707000; PubMed Central PMCID: PMC5863305.

13: Barutta F, Bruno G, Mastrocola R, Bellini S, Gruden G. The role of cannabinoid signaling in acute and chronic kidney diseases. *Kidney Int*. 2018 Aug;94(2):252–258. doi: 10.1016/j.kint.2018.01.024. Epub 2018 Apr 27. Review. PubMed PMID: 29706358.

14: Orsi E, Solini A, Bonora E, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Gruden G, Morano S, Nicolucci A, Penno G, Pugliese G; Renal Insufficiency and Cardiovascular Events (RIACE) Study Group. Haemoglobin A1c variability is a strong, independent predictor of all-cause mortality in patients with type 2 diabetes. *Diabetes Obes Metab*. 2018 Aug;20(8):1885–1893. doi: 10.1111/dom.13306. Epub 2018 Apr 19. PubMed PMID: 29582548.

15: NCD Risk Factor Collaboration (NCD-RisC) . Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood

pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. *Int J Epidemiol*. 2018 Mar 19. doi: 10.1093/ije/dyy016. [Epub ahead of print] PubMed PMID: 29579276; PubMed Central PMCID: PMC6005056.

16: Paciullo F, Proietti M, Bianconi V, Nobili A, Pirro M, Mannucci PM, Lip GYH, Lupattelli G; REPOSI Investigators. Choice and Outcomes of Rate Control versus Rhythm Control in Elderly Patients with Atrial Fibrillation: A Report from the REPOSI Study. *Drugs Aging*. 2018 Apr;35(4):365-373. doi: 10.1007/s40266-018-0532-8. PubMed PMID: 29564755.

17: Barutta F, Mastrocola R, Bellini S, Bruno G, Gruden G. Cannabinoid Receptors in Diabetic Kidney Disease. *Curr Diab Rep*. 2018 Feb 5;18(2):9. doi: 10.1007/s11892-018-0975-7. Review. PubMed PMID: 29399721.

18: Bellini S, Barutta F, Mastrocola R, Imperatore L, Bruno G, Gruden G. Heat Shock Proteins in Vascular Diabetic Complications: Review and Future Perspective. *Int J Mol Sci*. 2017 Dec 14;18(12). pii: E2709. doi: 10.3390/ijms18122709. Review. PubMed PMID: 29240668; PubMed Central PMCID: PMC5751310.

19: NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. *Lancet*. 2017 Dec 16;390(10113):2627-2642. doi: 10.1016/S0140-6736(17)32129-3. Epub 2017 Oct 10. PubMed PMID: 29029897; PubMed Central PMCID: PMC5735219.

20: Fadini GP, Zatti G, Consoli A, Bonora E, Sesti G, Avogaro A; DARWIN-T2D Network. Rationale and design of the DARWIN-T2D (Dapagliflozin Real World evIdeNce in Type 2 Diabetes): A multicenter retrospective nationwide Italian study and crowdsourcing opportunity. *Nutr Metab Cardiovasc Dis*. 2017 Dec;27(12):1089-1097. doi: 10.1016/j.numecd.2017.08.001. Epub 2017

Aug 8. PubMed
PMID: 28967594.

21: Baldassarre S, Fragapani S, Panero A, Fedele D, Pinach S, Lucchiari M, Vitale AR, Mengozzi G, Gruden G, Bruno G. NTproBNP in insulin-resistance mediated conditions: overweight/obesity, metabolic syndrome and diabetes. The population-based Casale Monferrato Study. *Cardiovasc Diabetol*. 2017 Sep 25;16(1):119. doi: 10.1186/s12933-017-0601-z. PubMed PMID: 28946871; PubMed Central PMCID: PMC5613356.

22: Vaccaro O, Masulli M, Nicolucci A, Bonora E, Del Prato S, Maggioni AP, Rivellese AA, Squatrito S, Giorda CB, Sesti G, Mocarelli P, Lucisano G, Sacco M, Signorini S, Cappellini F, Perriello G, Babini AC, Lapolla A, Gregori G, Giordano C, Corsi L, Buzzetti R, Clemente G, Di Cianni G, Iannarelli R, Cordera R, La Macchia O, Zamboni C, Scaranna C, Boemi M, Iovine C, Lauro D, Leotta S, Dall'Aglio E, Cannarsa E, Tonutti L, Pugliese G, Bossi AC, Anichini R, Dotta F, Di Benedetto A, Citro G, Antenucci D, Ricci L, Giorgino F, Santini C, Gnasso A, De Cosmo S, Zavaroni D, Vedovato M, Consoli A, Calabrese M, di Bartolo P, Fornengo P, Riccardi G; Thiazolidinediones Or Sulfonylureas Cardiovascular Accidents Intervention Trial (TOSCA.IT) study group; Italian Diabetes Society. Effects on the incidence of cardiovascular events of the addition of pioglitazone versus sulfonylureas in patients with type 2 diabetes inadequately controlled with metformin (TOSCA.IT): a randomised, multicentre trial. *Lancet Diabetes Endocrinol*. 2017 Nov;5(11):887-897. doi: 10.1016/S2213-8587(17)30317-0. Epub 2017 Sep 13. Erratum in: *Lancet Diabetes Endocrinol*. 2017 Nov;5(11):e7. PubMed PMID: 28917544.

23: Fedele D, Bicchiega V, Collo A, Barutta F, Pistone E, Gruden G, Bruno G. Short term variation in NTproBNP after lifestyle intervention in severe obesity. *PLoS One*. 2017 Jul 13;12(7):e0181212. doi: 10.1371/journal.pone.

0181212.

eCollection 2017. PubMed PMID: 28704534; PubMed Central PMCID: PMC5509288.

24: Amione C, Giunti S, Fornengo P, Soedamah-Muthu SS, Chaturvedi N, Fuller JH, Barutta F, Gruden G, Bruno G. Incidence of prolonged QTc and severe hypoglycemia in type 1 diabetes: the EURODIAB Prospective Complications Study. *Acta Diabetol.* 2017 Sep;54(9):871-876. doi: 10.1007/s00592-017-1018-6. Epub 2017 Jun 20. PubMed PMID: 28634852.

25: Barutta F, Grimaldi S, Gambino R, Vemuri K, Makriyannis A, Annaratone L, di Marzo V, Bruno G, Gruden G. Dual therapy targeting the endocannabinoid system prevents experimental diabetic nephropathy. *Nephrol Dial Transplant.* 2017 Oct 1;32(10):1655-1665. doi: 10.1093/ndt/gfx010. PubMed PMID: 28387811.

26: Bertolotti M, Franchi C, Rocchi MB, Miceli A, Libbra MV, Nobili A, Lancellotti G, Carulli L, Mussi C; REPOSI Investigators. Prevalence and Determinants of the Use of Lipid-Lowering Agents in a Population of Older Hospitalized Patients: the Findings from the REPOSI (REgistro POliterate Società Italiana di Medicina Interna) Study. *Drugs Aging.* 2017 Apr;34(4):311-319. doi: 10.1007/s40266-017-0448-8. PubMed PMID: 28299634.

27: NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. *Lancet.* 2017 Jan 7;389(10064):37-55. doi: 10.1016/S0140-6736(16)31919-5. Epub 2016 Nov 16. PubMed PMID: 27863813; PubMed Central PMCID: PMC5220163.

28: Barutta F, Bruno G, Matullo G, Chaturvedi N, Grimaldi S, Schalkwijk C, Stehouwer CD, Fuller JH, Gruden G. MicroRNA-126 and micro-/macrovascular complications of type 1 diabetes in the EURODIAB Prospective

Complications Study.

Acta Diabetol. 2017 Feb;54(2):133–139. doi: 10.1007/s00592-016-0915-4. Epub 2016 Oct 1. PubMed PMID: 27696070.

29: NCD Risk Factor Collaboration (NCD-RisC). A century of trends in adult human height. Elife. 2016 Jul 26;5. pii: e13410. doi: 10.7554/eLife.13410. PubMed PMID: 27458798; PubMed Central PMCID: PMC4961475.

30: NCD Risk Factor Collaboration (NCD-RisC). Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. Lancet. 2016 Apr 9;387(10027):1513–1530. doi: 10.1016/S0140-6736(16)00618-8. Epub 2016 Apr 6. Erratum in: Lancet. 2017 Feb 4;389(10068):e2. PubMed PMID: 27061677; PubMed Central PMCID: PMC5081106.

31: Bruno G, Gruden G, Songini M. Incidence of type 1 diabetes in age groups above 15 years: facts, hypothesis and prospects for future epidemiologic research. Acta Diabetol. 2016 Jun;53(3):339–47. doi: 10.1007/s00592-015-0835-8. Epub 2016 Jan 20. Review. PubMed PMID: 26787492.

32: Franchi C, Ardoino I, Rossio R, Nobili A, Biganzoli EM, Marengoni A, Marcucci M, Pasina L, Tettamanti M, Corrao S, Mannucci PM; REPOSI Investigators. Prevalence and Risk Factors Associated with Use of QT-Prolonging Drugs in Hospitalized Older People. Drugs Aging. 2016 Jan;33(1):53–61. doi: 10.1007/s40266-015-0337-y. PubMed PMID: 26693921.

33: Gruden G, Barutta F, Kunos G, Pacher P. Role of the endocannabinoid system in diabetes and diabetic complications. Br J Pharmacol. 2016 Apr; 173(7):1116–27. doi: 10.1111/bph.13226. Epub 2015 Aug 20. Review. PubMed PMID: 26076890; PubMed Central PMCID: PMC4941127.